

Technical information for Truck Refrigeration Unit SC200-T

& R R O F L D S I D F L W		∴
\$ S S O L F D E F O S H U D W X U H		∴
\$ S S O L F D E F O X H P I		a Pñ
& R P S U H V V R U	0 R G H O	Q 3 6' / 2 S W L R Q D O
	7 \ S H	6 Z D V S K O D W H
	' L V S O D F H P H Q M F F F	
	/ X E U L F D Q M	3 2 (5 +
& R Q G H Q V H U	7 \ S H	3 D U D O O R Z O
) D Q R G H O	\$ [L D D Q
	9 R O W D J H	9 9
(Y D S R U D W R U	7 \ S H	, Q W H W R O D I O R S S H L S H O X P L I Q X P
) D Q R G H O	\$ [L D D Q
	9 R O W D J H	9 9
7 K U R W W S H Q J		([W H U H T X O O H [S H D Q W I D R O Q H
5 H I U L J H U D Q W		5 \$
5 H I U L J H U D O R O X P H		N J
' H I U R W W S H		+ R W D G H I U R V W
, Q V W D O O D W L R Q) U R Q R X Q W W S H
' L P H Q V L R Q V	(Y D S R U D W R U	R u : h + h h P P
	& R Q G H Q V H U	U : h + h h P P
: H L J K W	(Y D S R U D V	N J
	& R Q G H Q V	N J

Note: 1.The cooling capacity is tested according to the conditions specified in GB / T 21145-2007;
 2.The insulation performance of refrigerated containers complies with the relevant provisions of GB 29753-2013.



Fan

Compressor

Control Panel



Condenser Core



Evaporator Coil

Standby Unit

1. Control panel

Digital display, intelligent temperature control and fault indication.

2. Compressor

T/CCI, high efficiency, large displacement, steady quality.

3. Evaporator and condenser fan

Evaporator fan SPAL brand, world famous brand. Condenser fan Chinese famous brand. High air volume, low noise, high efficiency.

4. Expansion valve

DANFOSS brand, high reliability, high adjustment accuracy and excellent performance.

5. Condenser core

SONGZ brand, The circuit is arranged in parallel with multiple channels, the pressure loss is small, and the compressor load is reduced. Compact structure, and high heat exchange efficiency. Surface anti-corrosion treatment, long service life.

6. Evaporator coil

SONGZ brand, select small diameter($\varnothing 9.52\text{mm}$) and inner grooved copper tube. The evaporator adopt super-thin coil to save more space for the cabinet, has high efficiency.

7. Pipe and hose

Select high strength rubber hose and copper pipe, easy installation, good sealing performance.

8. Standby Unit (optional)

Adopt SANDEN(optional) compressor and Chinese famous brand motor.

Outline and Installation Dimensions

